



大型排水フリーダム(農業土木事業協会型)

形状


■断面図




■側面図



■目地詳細図



■側壁頂部詳細図



種類

側壁頂部水平線上に作用する上載荷重及び土質条件により区分されます。

種類	上載荷重(kN/m ²)	土の内部摩擦角(度)
I種	10.0	30
II種	15.0	25
III種	20.0	20

土の単位体積重量…………… 18.0kN/m³
 水の単位体積重量…………… 9.8kN/m³
 水中土の単位体積重量……… 10.0kN/m³

寸法表 I種・II種・III種共通

呼び名	寸法											参考重量 (kg)
	内高 h	水抜き穴 高 h1	内幅 a	内底幅 b	底版幅 C	側壁厚		底版厚 t3	ハンチ r	製品長 m	製品長 ℓ	
						上端 t1	付け根 t2					
0707	700	200	700	650	840	70	95	95	100	30	2000	970
08			800	750	940							1010
09			900	850	1040							1060
10			1000	950	1140							1100
11			1100	1050	1240							1150
12			1200	1150	1340							1190
13			1300	1250	1440							1240
14			1400	1350	1540							1280
15			1500	1450	1640							1330
0808			800	250	800							750
09	900	850			1040	1130						
10	1000	950			1140	1170						
11	1100	1050			1240	1220						
12	1200	1150			1340	1260						
13	1300	1250			1440	1310						
14	1400	1350			1540	1350						
15	1500	1450			1640	1400						
16	1600	1550			1740	1450						
17	1700	1650			1840	1490						
0909	900	300	900	850	1050	75	100	100	100	30	2000	1290
10			1000	950	1150							1330
11			1100	1050	1250							1380
12			1200	1150	1350							1420
13			1300	1250	1450							1470
14			1400	1350	1550							1510
15			1500	1450	1650							1560
16			1600	1550	1750							1600
1008	1000	300	800	730	950	75	110	110	150	30	2000	1430
09			900	830	1050							1480
10			1000	930	1150							1530
11			1100	1030	1250							1590
12			1200	1130	1350							1640
13			1300	1230	1450							1700
14			1400	1330	1550							1750
15			1500	1430	1650							1800
16			1600	1530	1750							1850
17			1700	1630	1850							1900
18			1800	1730	1950							1960
19			1900	1830	2050							2010
20	2000	1930	2150	2060								
1111	1100	350	1100	1030	1260	80	115	115	150	30	2000	1770
12			1200	1130	1360							1820
13			1300	1230	1460							1880
14			1400	1330	1560							1930
15			1500	1430	1660							1980
16			1600	1530	1760							2040
17			1700	1630	1860							2090
18			1800	1730	1960							2140
19			1900	1830	2060							2200
20			2000	1930	2160							2250
21			2100	2030	2260							2300

大型排水フリューム(農業土木事業協会型)

寸法表 I種・II種・III種共通

呼び名	寸法											参考重量 (kg)								
	内高 h	水抜き穴 高 h1	内幅 a	内底幅 b	底版幅 C	側壁厚		底版厚 t3	ハンチ r	m	製品長 ℓ									
						上端 t1	付け根 t2													
1212	1200	400	1200	1120	1370	85	125	125	150	30	2000	2060								
13			1300	1220	1470							2120								
14			1400	1320	1570							2180								
15			1500	1420	1670							2240								
16			1600	1520	1770							2300								
17			1700	1620	1870							2360								
18			1800	1720	1970							2420								
19			1900	1820	2070							2480								
20			2000	1920	2170							2540								
21			2100	2020	2270							2590								
1309			1300	400	900							810	1090	95	140	140	150	30	2000	2230
10	1000	910			1190	2300														
11	1100	1010			1290	2360														
12	1200	1110			1390	2430														
13	1300	1210			1490	2500														
14	1400	1310			1590	2560														
15	1500	1410			1690	2630														
16	1600	1510			1790	2690														
17	1700	1610			1890	2760														
18	1800	1710			1990	2820														
19	1900	1810			2090	2890														
20	2000	1910	2190	2950																
1412	1400	450	1200	1110	1410	105	150	150	150	30	2000	2740								
13			1300	1210	1510							2820								
14			1400	1310	1610							2890								
15			1500	1410	1710							2960								
16			1600	1510	1810							3030								
17			1700	1610	1910							3100								
18			1800	1710	2010							3120								
19			1900	1810	2110							3240								
20			2000	1910	2210							3310								
1513			1500	500	1300							1200	1520	110	160	160	250	30	2000	3190
14					1400							1300	1620							3270
15	1500	1400			1720	3350														
16	1600	1500			1820	3430														
17	1700	1600			1920	3510														
18	1800	1700			2020	3580														
19	1900	1800			2120	3660														
20	2000	1900			2220	3730														
1616	1600	500			1600	1490	1830	115	170	170	250	30	2000							3750
17					1700	1590	1930													3830
18					1800	1690	2030													3910
19			1900	1790	2130	3990														
20			2000	1890	2230	4070														